

Validation 2: JunD (sc-74)

IP-Mass spec of the two bands identified in IP-Western in Validation 1. Target protein (JunD) was identified in both bands at FDR <0.05 and is highlighted below. All significant mass spec results are shown.

| Identified Proteins | Accession Number | Molecular Weight | JunD band 1 |
|--|------------------|------------------|-------------|
| Actin, cytoplasmic 1 OS=Homo sapiens GN=ACTB PE=1 SV=1 | ACTB_HUMAN (+1) | 42 kDa | 13 |
| 60 kDa heat shock protein, mitochondrial OS=Homo sapiens GN=HSPD1 PE=1 SV=2 | CH60_HUMAN | 61 kDa | 9 |
| Phosphoglycerate kinase 1 OS=Homo sapiens GN=PGK1 PE=1 SV=3 | PGK1_HUMAN | 45 kDa | 8 |
| Tubulin alpha-1B chain OS=Homo sapiens GN=TUBA1B PE=1 SV=1 | TBA1B_HUMAN | 50 kDa | 7 |
| Elongation factor 1-alpha 1 OS=Homo sapiens GN=EEF1A1 PE=1 SV=1 | EF1A1_HUMAN | 50 kDa | 7 |
| Alpha-enolase OS=Homo sapiens GN=ENO1 PE=1 SV=2 | ENO1_HUMAN | 47 kDa | 7 |
| Elongation factor Tu, mitochondrial OS=Homo sapiens GN=TUFM PE=1 SV=2 | EFTU_HUMAN | 50 kDa | 7 |
| 60S ribosomal protein L4 OS=Homo sapiens GN=RPL4 PE=1 SV=5 | RPL4_HUMAN | 48 kDa | 6 |
| Cytochrome b-c1 complex subunit 2, mitochondrial OS=Homo sapiens GN=UQCRC2 PE=1 SV=3 | UQCRC2_HUMAN | 48 kDa | 6 |
| 3-ketoacyl-CoA thiolase, mitochondrial OS=Homo sapiens GN=ACAA2 PE=1 SV=2 | ACAA2_HUMAN | 42 kDa | 6 |
| Adenosylhomocysteinase OS=Homo sapiens GN=AHCY PE=1 SV=4 | AHCY_HUMAN | 48 kDa | 6 |
| Isocitrate dehydrogenase [NADP] cytoplasmic OS=Homo sapiens GN=IDH1 PE=1 SV=2 | IDH1_HUMAN | 47 kDa | 5 |
| UDP-glucose 6-dehydrogenase OS=Homo sapiens GN=UGDH PE=1 SV=1 | UGDH_HUMAN | 55 kDa | 5 |
| Heat shock protein HSP 90-beta OS=Homo sapiens GN=HSP90AB1 PE=1 SV=4 | HSP90AB1_HUMAN | 83 kDa | 4 |
| Tubulin beta chain OS=Homo sapiens GN=TUBB PE=1 SV=2 | TUBB_HUMAN | 50 kDa | 4 |

| | | | |
|---|-------------|--------|---|
| ATP synthase subunit beta, mitochondrial OS=Homo sapiens GN=ATP5B PE=1 SV=3 | ATPB_HUMAN | 57 kDa | 4 |
| Short/branched chain specific acyl-CoA dehydrogenase, mitochondrial OS=Homo sapiens GN=ACADSB PE=1 SV=1 | ACDSB_HUMAN | 47 kDa | 4 |
| ATP synthase subunit alpha, mitochondrial OS=Homo sapiens GN=ATP5A1 PE=1 SV=1 | ATPA_HUMAN | 60 kDa | 3 |
| Transcription factor jun-D OS=Homo sapiens GN=JUND PE=1 SV=3 | JUND_HUMAN | 35 kDa | 3 |
| Endoplasmic OS=Homo sapiens GN=HSP90B1 PE=1 SV=1 | ENPL_HUMAN | 92 kDa | 2 |
| Isocitrate dehydrogenase [NADP], mitochondrial OS=Homo sapiens GN=IDH2 PE=1 SV=2 | IDHP_HUMAN | 51 kDa | 2 |
| Non-POU domain-containing octamer-binding protein OS=Homo sapiens GN=NONO PE=1 SV=4 | NONO_HUMAN | 54 kDa | 2 |
| Interleukin enhancer-binding factor 2 OS=Homo sapiens GN=ILF2 PE=1 SV=2 | ILF2_HUMAN | 43 kDa | 2 |

| Identified Proteins | Accession Number | Molecular Weight | JunD band 2 |
|---|------------------|------------------|-------------|
| L-lactate dehydrogenase A chain OS=Homo sapiens GN=LDHA PE=1 SV=2 | LDHA_HUMAN | 37 kDa | 13 |
| Aldo-keto reductase family 1 member C1 OS=Homo sapiens GN=AKR1C1 PE=1 SV=1 | AK1C1_HUMAN | 37 kDa | 10 |
| Glyceraldehyde-3-phosphate dehydrogenase OS=Homo sapiens GN=GAPDH PE=1 SV=3 | G3P_HUMAN | 36 kDa | 7 |
| Tubulin alpha-1B chain OS=Homo sapiens GN=TUBA1B PE=1 SV=1 | TBA1B_HUMAN | 50 kDa | 6 |
| Actin, cytoplasmic 1 OS=Homo sapiens GN=ACTB PE=1 SV=1 | ACTB_HUMAN (+1) | 42 kDa | 5 |
| Alpha-enolase OS=Homo sapiens GN=ENO1 PE=1 SV=2 | ENO1_HUMAN | 47 kDa | 5 |
| Tubulin beta chain OS=Homo sapiens GN=TUBB PE=1 SV=2 | TBB5_HUMAN | 50 kDa | 5 |
| Fructose-bisphosphate aldolase A OS=Homo sapiens GN=ALDOA PE=1 SV=2 | ALDOA_HUMAN | 39 kDa | 5 |
| 60S acidic ribosomal protein P0 OS=Homo sapiens GN=RPLP0 PE=1 SV=1 | RPLP0_HUMAN | 34 kDa | 5 |

| | | | |
|---|-------------|--------|---|
| 60S ribosomal protein L4 OS=Homo sapiens GN=RPL4 PE=1 SV=5 | RL4_HUMAN | 48 kDa | 4 |
| ATP synthase subunit alpha, mitochondrial OS=Homo sapiens GN=ATP5A1 PE=1 SV=1 | ATPA_HUMAN | 60 kDa | 4 |
| Proliferating cell nuclear antigen OS=Homo sapiens GN=PCNA PE=1 SV=1 | PCNA_HUMAN | 29 kDa | 4 |
| Heat shock protein HSP 90-beta OS=Homo sapiens GN=HSP90AB1 PE=1 SV=4 | HS90B_HUMAN | 83 kDa | 3 |
| Transcription factor jun-D OS=Homo sapiens GN=JUND PE=1 SV=3 | JUND_HUMAN | 35 kDa | 3 |
| Pyruvate kinase isozymes M1/M2 OS=Homo sapiens GN=PKM2 PE=1 SV=4 | KPYM_HUMAN | 58 kDa | 3 |
| Aldo-keto reductase family 1 member C3 OS=Homo sapiens GN=AKR1C3 PE=1 SV=3 | AK1C3_HUMAN | 37 kDa | 3 |
| rRNA 2'-O-methyltransferase fibrillarin OS=Homo sapiens GN=FBL PE=1 SV=2 | FBRL_HUMAN | 34 kDa | 3 |
| Glutamate dehydrogenase 1, mitochondrial OS=Homo sapiens GN=GLUD1 PE=1 SV=2 | DHE3_HUMAN | 61 kDa | 2 |
| Tubulin beta-2C chain OS=Homo sapiens GN=TUBB2C PE=1 SV=1 | TBB2C_HUMAN | 50 kDa | 2 |
| Bile salt sulfotransferase OS=Homo sapiens GN=SULT2A1 PE=1 SV=3 | ST2A1_HUMAN | 34 kDa | 2 |
| Ubiquitin thioesterase OTUB1 OS=Homo sapiens GN=OTUB1 PE=1 SV=2 | OTUB1_HUMAN | 31 kDa | 2 |
| Nucleolysin TIA-1 isoform p40 OS=Homo sapiens GN=TIA1 PE=1 SV=3 | TIA1_HUMAN | 43 kDa | 2 |
| Retrotransposon-derived protein PEG10 OS=Homo sapiens GN=PEG10 PE=1 SV=2 | PEG10_HUMAN | 80 kDa | 2 |